




Diamond




“



أرضيات SPC


صناعة ألمانية ذات جودة عالية
منذ عام 1962

- طبقة حماية علوية (PU/UV)
- مقاومة للخدش والبقع .
- عزل صوتي بفضل الطبقات الداخلية .
- مناسب لتدفئة الأرضية
- في بعض النماذج .



CLASSEN®
made in germany





425

AC4

Bevel
4V

1210x 173
mm

Thickness
4mm

Water proof

No Integrated
underlayment



AC4

Bevel
4V

1210x 173
mm

Thickness
4mm

Water proof

No Integrated
underlayment

429



434

AC4


Bevel
4V

1210x 173
mm

Thickness
4mm

Water proof

No Integrated
underlayment



436

AC4

Bevel
4V

1210x 173
mm

Thickness
4mm

Water proof

No Integrated
underlayment

SPC  CLASSEN  Diamond



51099

AC4

Bevel
4V

1286x 203
mm

Thickness
4mm

Water proof

Integrated
underlayment



51998

AC4

Bevel
4V

173x 1290
mm

Thickness
4mm

Water proof

Integrated
underlayment

SPC  CLASSEN  Diamond



45102

AC4

Bevel
4V


203x 1290
mm

Thickness
4.5mm

Water proof

No Integrated
underlayment

SPC  CLASSEN  Diamond



48318



Bevel
4V

173x1290
mm

Thickness
4mm

Water proof

Integrated
underlayment

SPC  CLASSEN  Diamond



53459



Bevel
4V


203x 1290
mm

Thickness
4.5+1mm

Water proof

Integrated
underlayment

SPC  CLASSEN  Diamond



53463



Bevel
4V


203x1290
mm

Thickness
4.5+1mm

Water proof

Integrated
underlayment

SPC  CLASSEN  Diamond



54344



Bevel
4V

203x1290
mm

Thickness
4.5+1mm

Water proof

Integrated
underlayment

SPC  CLASSEN  Diamond



54955



Bevel
4V


203x1290
mm

Thickness
4.5+1mm

Water proof

Integrated
underlayment

SPC  CLASSEN  Diamond



64645



Bevel
4V

173x 1290
mm

Thickness
5mm

Water proof

Integrated
underlayment

SPC  CLASSEN  Diamond



62480



Bevel
4V


203x 1290
mm

Thickness
6.5mm

Water proof

Integrated
underlayment

SPC  CLASSEN  Diamond



Diamond