



## Easy Line - Carpet Planke



موکیت شرائح ایزی لاین


[mafrushat-alriyad.com](http://mafrushat-alriyad.com)



2685



2678



2679





2667



2642



2643





2623



2672



2673





2655



2674



2675



# Easy Line Carpet Plank

25cm  
100cm

## PRODUCT INFORMATION

|                   |                       |
|-------------------|-----------------------|
| Fiber             | 100% Olefin           |
| Construction      | Loop                  |
| Yarn Type         | BCF Stanlon           |
| Tufting Gauge     | 1/10"                 |
| Dye Method        | Solution Dyed Olefin  |
| Pile Weight       | 650 g/m <sup>2</sup>  |
| Number of Tufts   | 193060/m <sup>2</sup> |
| Primary Backing   | Non-Woven             |
| Secondary Backing | PVC                   |
| Size              | 25 cm x 100 cm        |
| Pile Height       | 4.0 mm ± 0.25 mm      |
| Total Tile Height | 7.0 mm ± 0.5 mm       |

## TECHNICAL PERFORMANCES

|                          |                                  |                              |
|--------------------------|----------------------------------|------------------------------|
| VOC (Green Label Plus)   | ASTM D5116-06                    | <0.5 mg/m <sup>2</sup> /hour |
| Flammability (Pill Test) | ASTM D-2859//FF 1-70//16CFR 1630 | Pass 8/8                     |
| Reaction to Fire         | EN ISO 9239-1:2002               | Dfl - s1                     |
| Static Propensity        | ISO 6356                         | 0.2 kV                       |
| Color Fastness           | AATCC/16                         | 5/5 on Grey Scale            |
| Soiling Propensity       | ASTM D 6540-00                   | 4                            |
| Dimensional Stability    | EN 986                           | < 0.20%                      |